Suite	Additional Products and Utilities											
V12 Platform Specifications that are supported	Aspen Infrastructure - Product Installation	19 Software License Manager (SLM )	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)	aspenONE Update Agent	Aspen Enterprise Insights Stack	Aspen Go	Aspen Bridge				
Operating Systems (64-bit only)				1								
Windows 11 Enterprise & Professional (64-bit)	✓	✓					✓	✓				
Windows 10 Anniversary Enterprise & Professional (64-bit)	$\checkmark$	$\checkmark$					$\checkmark$	$\checkmark$				
Windows 8.1 Update 1 Enterprise & Professional (64-bit)	<b>✓</b>	✓										
Windows Server 2019	✓	✓	✓	✓		✓	✓	✓				
Windows Server 2016	✓	$\checkmark$	✓	✓		✓	✓	<b>√</b>				
Windows Server 2012 R2	✓	<b>√</b>	✓	✓		✓	✓	✓				
Ubuntu Server Edition 20.04 LTS												
Ubuntu Server Edition 18.04 LTS												
Ubuntu Server Edition 16.04 LTS												
Microsoft Office												
Office 365 (Desktop/Click-to-run) (32-bit/64-bit)	✓						✓	✓				
Office 2021 (64-bit)	<b>✓</b>						<b>✓</b>	✓				
Office 2021 (32-bit)	✓						✓	✓				
Office 2019 (64-bit)	✓						✓	✓				
Office 2019 (32-bit)	✓						✓	✓				
Office 2016 (64-bit)	$\checkmark$						$\checkmark$	✓				
Office 2016 (32-bit)	✓						✓	✓				
Office 2013 (32-bit)	✓						✓	✓				
Database Servers												
Microsoft SQL Server 2019 (Enterprise/Standard Edition)	✓		✓	✓		✓						
Microsoft SQL Server 2019 (Express Edition)	<b>√</b>											
Microsoft SQL Server 2017 (Enterprise/Standard Edition)	✓		✓	✓		✓						
Microsoft SQL Server 2017 (Express Edition)	<b>✓</b>											
Microsoft SQL Server 2016 (Enterprise/Standard Edition)	✓		✓	✓		✓						
Microsoft SQL Server 2016 (Express Edition)	✓											

Suite	Additional Products and Utilities											
V12 Platform Specifications that are supported	Aspen Infrastructure - Product Installation	19 Software License Manager (SLM )	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)	aspenONE Update Agent	Aspen Enterprise Insights Stack	Aspen Go	Aspen Bridge				
Microsoft SQL Server 2014 (Enterprise/Standard Edition)	<b>✓</b>		<b>✓</b>	✓		<b>✓</b>						
Microsoft SQL Server 2014 (Express Edition)	<b>✓</b>											
Microsoft SQL Server 2012 (Enterprise/Standard Edition)	<b>√</b>		<b>√</b>	✓		<b>√</b>						
Microsoft SQL Server 2012 (Express Edition)	✓											
SQL Server 2014 Local DB	<b>√</b>											
SQL Server 2016 Local DB												
SQL Server 2012 -2019 Analysis Services			✓	✓								
Oracle Database 19.xx 64-bit				✓								
Oracle Database 18.xx 64-bit												
Oracle Database 12.2 64-bit												
Database Clients												
Oracle Client 19.x 32-bit												
Oracle Client 19.x 64-bit												
Oracle Client 18.x 32-bit												
Oracle Client 12.2 64-bit												
Oracle Client 12.2 32-bit												
Runtimes		1		T .								
.NET Framework 4.8	✓	✓	✓	✓	✓	✓	✓	✓				
.NET Core 3.1.x	✓	✓	✓	✓	✓	✓	✓	✓				
ASP.NET Core 3.1.x												
64-bit Oracle Java 11 JRE LTS	✓											
64-bit Oracle Java 11 JDK LTS	✓											
64-bit Oracle Java 8 JRE LTS												
64-bit Oracle Java 8 JDK LTS												
32-bit AdoptOpenJDK Java 11 LTS												
64-bit AdoptOpenJDK Java 11 LTS												

Suite	Additional Products and Utilities											
V12 Platform Specifications that are supported	Aspen Infrastructure - Product Installation	19 Software License Manager (SLM )	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)	aspenONE Update Agent	Aspen Enterprise Insights Stack	Aspen Go	Aspen Bridge				
64-bit AdoptOpenJDK Java 8 LTS												
MSXML 6	✓	✓	✓	✓	✓							
Visual Studio 2019												
Visual Studio 2017												
Visual Studio 2015												
Visual Studio 2013												
Visual Studio 2010 Tools for Office Runtime							✓					
Microsoft Visual C++ Redistributable 2019						✓	✓	✓				
Microsoft Visual C++ Redistributable 2017						✓	✓	✓				
Microsoft Visual C++ Redistributable 2015						✓	✓	✓				
Microsoft Visual C++ Redistributable 2013							✓	✓				
Virtualization												
Microsoft App-V 5.1												
Microsoft Hyper-V (Server)	✓	✓	✓	✓		✓						
VMware ESXi Hypervisor Server 6.x (Server)	✓	✓	✓	✓								
VMWare vSphere Enterprise Plus												
Microsoft Terminal Services (Desktop)	✓	✓										
Citrix XenApp 7.18 (Desktop)	✓											
Web Browsers												
Internet Explorer 11				$\checkmark$	$\checkmark$							
Microsoft Edge <sup>25</sup>				$\checkmark$	$\checkmark$	$\checkmark$						
Google Chrome Evergreen Version 75+				✓	$\checkmark$	$\checkmark$						
Firefox						$\checkmark$						
Chrome on iOS 12+ for iPad Support												
Safari on iOS 13+ for iPad Support+A86						$\checkmark$						
Security Components/Services												
Aspen Framework (AFW) 5												
Java App (Servers)												

Suite	Additional Products and Utilities										
V12 Platform Specifications that are supported	Aspen Infrastructure - Product Installation	19 Software License Manager (SLM )	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)	aspenONE Update Agent	Aspen Enterprise Insights Stack	Aspen Go	Aspen Bridge			
Apache Tomcat 9.0+											
Native Web Servers											
IIS 10	$\checkmark$					✓					
IIS 8.5	✓					<b>✓</b>					
Reporting Services											
Microsoft Report Viewer 2015											
Microsoft SQL Server 2012/2014/2016/2017/ <b>2019</b> Reporting Services											
Load Balancing											
F5 Load Balancing											
Integration Components											
Aspen Supply Chain Connect											
Informatica Powercenter 10.4											
Cloud Support *											
Azure VM - Microsoft	✓	✓				✓					
Amazon VM (AWS)	<b>✓</b>	✓				<b>✓</b>					
Azure VM - Linux											
Nutanix XiFrame											
Virtual Apps Essentials											
Windows Virtual Desktop (WVD Fall 2019 Release) 27											
Deployment Tools											
SCCM											
Supported Versions of Fortran											
FORTRAN 2019											
Container Support											
Docker Engine-Enterprise 19.03.x											
Docker Compose 1.26 x											
Desktop Types - Minimum Recommended											

Suite	Additional Products and Utilities											
V12 Platform Specifications that are supported	Aspen Infrastructure - Product Installation	19 Software License Manager (SLM )	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)	aspenONE Update Agent	Aspen Enterprise Insights Stack	Aspen Go	Aspen Bridge				
Type I:  Computer & processor: Intel Core-i5 family or faster  Memory (RAM): 16 gigabytes (GB) RAM  Hard Disk: 120 gigabytes (GB) available  Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor  Network: 100MB/Sec	NA	✓		✓	✓		✓	✓				
Type II:  Computer & processor: Intel Core-i5 family or faster  Memory (RAM): 16 gigabytes (GB) RAM  Hard Disk: 250 gigabytes (GB) available  Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor  Network: 100MB/Sec												
Server Types - Minimum Recommended												
Type I:  Computer & processor: Intel Core-i7 family or faster for standalone deployment Intel Xeon Gold series, 4 cores or more for multi-user environment Memory (RAM): 16 or above gigabytes (GB) RAM for standalone deployment, 32 or above gigabytes (GB) RAM for multi-user environment Hard Disk: 150 gigabytes (GB) available for standalone deployment, 300 gigabytes (GB) for multi-user environment Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor Network: 100M8/Sec		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>		<b>&gt;</b>	<b>√</b>				
Type II:  Computer & processor: Intel Xeon Gold series type system (4 cores) or faster  Memory (RAM): 16 or above gigabytes (GB) RAM  Hard Disk: 300 gigabytes (GB) or more available  Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor  Network: 100MB/Sec (Gigabyte network recommended)						<b>√</b>						
Type III:  Computer & processor: Intel Cascade Lake-based Xeon processor with 8 cores or more per processor  Memory (RAM): 32 or above gigabytes (GB) RAM  Hard Disk: 500 gigabytes (GB) or more available  Monitor: Graphics hardware acceleration requires a DirectX10 graphics card and a 1440 x 900 or higher resolution monitor  Network: 100MB/Sec (Gigabyte network recommended)												
Type IV: (IIoT Gateways) Computer & processor, ARM or Intel based CPU or more Memory (RAM): 256Mb or more Hard Disk: 128Mb or more												
Type V Windows Server 2019 v1809+ Memory (RAM in GB): Minimum: 16 Recommended: 32 Cores: Minimum: 4, Recommended: 8 Disk space (GB): Minimum: 64, Recommended: 100 Network (MB/s): Minimum: 50, Recommended: 100 Notes												

Notes

Suite	Additional Products and Utilities								
V12 Platform Specifications that are supported	Aspen Infrastructure - Product Installation	19 Software License Manager (SLM )	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)	aspenONE Update Agent	Aspen Enterprise Insights Stack	Aspen Go	Aspen Bridge	
In general, AspenTech aspenONE® software license agreements with customers permit use of the licensed software on Supported Computers at customer Sites. "Supported Computers" include computers with a manufacture, model and operating system for which AspenTech offers a supported version of the software, and hat are controlled by the customer. "Sites" are customer facilities or locations specified in the license agreement. AspenTech permits customer use of licensed aspenONE software in the cloud where: (i) the Platform Support specifications published by AspenTech for the relevant version of the software product include cloud support; (ii) only the customer has access to the licensed software hosted by the cloud service provider, and (iii) the user is accessing the software only from a Site specified in the applicable license agreement.  Cloud deployment does not change any license restrictions, including the restrictions on which regions can access the software.									
When running software on a virtual machine, the machine should meet the same requirements.  AspenTech does not support the in-place upgrade of the Operating System (for example: upgrade Windows 7 to Windows 10) with AspenTech software already installed. Our recommendation is to uninstall Aspen Software before upgrading the OS and reinstall it after the upgrade.  Your Aspen SLM Server must be installed and running prior to installing any V12 product.									
f running standalone, 1280 x 800 is the minimum recommended resolution monitor for servers.  or SLM server using Type 1 Desktop configuration, the minimum memory is 4GB with 20GB hard drive.									
wicrosoft Active Directory/Domain Services (Required for aspenONE Web Server)  A minimum of 10GB of free space is needed to install/upgrade products.  This configuration is only practical for small scale models and deployments. For most applications, best deployment practice dictates the use of a separate and dedicated database server for acceptable performance									
EDR does not use any database servers. Deploys its own LocalDB database files.									
Aspen Batch Process Developer does not support the 64-bit version of Visio. Visio is used in ABPD to generate the block diagram and process flow diagram reports; it is an optional feature. The 64-bit versions of Word and fixed are fully supported by ABPD.									

When Aspen Utility model is driven by Aspen Online using Local System Account, then SQL Express 2014 is required.
 When Exchanger Design and Rating is driven by Aspen Online using Local System Account, then SQL Express

Oracle or AdoptOpenJDK Java is needed if the 3rd party scheduling application Primavera is used with Economic

Aspen Modeler family supports FORTRAN compiler version 2020

Evaluation (EE). Primavera is owned by Oracle and its API uses Java.

Must be in compatibility mode for Aspen Process Sequencer

2014 is required

Suite		1	Addition	al Produ	ucts and	l Utilitie
V12 Platform Specifications that are supported	Aspen Infrastructure - Product Installation	19 Software License Manager (SLM )	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)	aspenONE Update Agent	Aspen Enterprise Insights Stack
9 See "Basic Deployment Recommendations" in Appendix C of the Aspen Manufacturing Suite Advanced Process Control Installation Guide.						
10 For new installations of APC Web Server, install IIS and JRE before installing APC Web Server						
11 CIM-IO Interfaces can be installed on 32-bit desktops						
12 This configuration is only practical for small scale models and deployments. For most applications, best deployment practice dictates the use of a separate and dedicated database server for acceptable  13 Refer to KB 47648 For more information on configuring SCM products using Azure:						
https://esupport.aspentech.com/S_Article?id=000047648						
14 Only Web Download Excel Add-in requires Excel.						
Users need to install both the 32-bit and 64-bit Oracle Clients 19.x for building and running reports						
Non-English OS's are not supported						
17 If using IBM Maximo Adapter						
18 If using aspenONE Exchange on Windows Server 2012 R2, you must select the Desktop Experience option during Windows installation to enable Flash training videos.						
19 SLM supported in cloud (Azure VM/Amazon VM) for ENG products that are supported in the cloud						
20 If FIPS is enabled, aspenONE Exchange users must have the latest Windows Update patches installed on their machine.						
21 Office 365 - 32-bit support only						
22 Server-grade systems are not required but still supported.						
Browser Support as it relates to Knowledge Delivery only (for +A)						
ATOMS Web does not support Oracle						
25 Only the version of MS Edge that uses the Google Chrome engine is supported						
Maestro supports Windows Server 2019 version 1809+	1					
WWD Certification Notes –  1. Publishing WVD apps to users local machine start menu not supported  2. Interoperability with 3rd party products only supported with Office 365  3. Aspen Properties Enterprise Database (APED) via SQL Server not supported  4. The following products have not been certified for WVD: ABE, ABPD, AOL, AVCA						
28 APEM does not support CDB-PDB database in Oracle 12.2. Weigh & Dispense Client 32-bit does not support Oracle						
SCCM support for APEx only						
APM Insights must be installed on the same server as AEI.	1					

Suite	Additional Products and Utilities									
V12 Platform Specifications that are supported	Aspen Infrastructure - Product Installation	19 Software License Manager (SLM )	Aspen Reporting Framework 64-bit	Aspen Framework Server (AFW)	aspenONE Update Agent	Aspen Enterprise Insights Stack	Aspen Go			
31 Express version not recommended for production due to 10GB limitation										
Type II is the minimum recommended when IP.21 is used with MES Collaboration.										
Azure support is available with V12 CP1										
34 APP-V is only supported with Process Explorer										
35 When you have more than 8 simultaneous users, the recommendation is 2CPU's and 4GB RAM per user. Performance will vary based on product and usage profiles. This can be considered a starting point for large multi-										

1/5/2022